




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : G06F 15/16, H04L 1/16, G05B 23/02		A1	(11) International Publication Number: WO 00/51009
			(43) International Publication Date: 31 August 2000 (31.08.00)
(21) International Application Number: PCT/US00/01724 (22) International Filing Date: 24 January 2000 (24.01.00) (30) Priority Data: 09/255,603 22 February 1999 (22.02.99) US (71) Applicant: CYBERSTAR, L.P. [US/US]; 3825 Fabian Way, Palo Alto, CA 94303 (US). (72) Inventors: BARKER, Keith, R.; 2707 Hallmark Drive, Belmont, CA 94002 (US). RAFTER, Mark, T.; 23750 Oak Flat Road, Los Gatos, CA 95033 (US). (74) Agent: GREEN, Clarence, A.; Perman & Green, LLP, 425 Post Road, Fairfield, CT 06430 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>	

(54) Title: **FILE TRANSMISSION ACKNOWLEDGEMENT SYSTEM AND METHOD**

(57) Abstract

A file transmission acknowledgement system (30) and method (40) that indicates the success or failure of a file transfer from a content provider (11) to client computers using a data distribution system (10). A transmitting processor (31) transmits a file processed by a transmitting processor (32). One or more personal computers and/or server computers simultaneously receive the transmitted file by way of respective receivers (35). A reception algorithm on the server (34) or personal computers (16) determines if the file was successfully or unsuccessfully received (43) by the respective computer. A receipt generation algorithm on the one or more server or personal computers generates a receipt acknowledgement or a receipt non-acknowledgement (44). A return path communication circuit (38) is provided between the server or personal computers and the transmitting processor for delivering the acknowledgements (45) to the transmitting processor. An algorithm on the transmitting processor collates the receipt transmissions (46). The algorithm also reformats the receipt transmissions (47) for storage and viewing (48) by the content providers and personnel operating the data distribution system.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

FILE TRANSMISSION ACKNOWLEDGEMENT SYSTEM AND METHOD

BACKGROUND

The present invention relates generally to data distribution systems and methods, and more particularly, to a file transmission acknowledgement system and method for use in a data distribution system that indicates the success or failure of a file delivery.

The assignee of the present invention has developed a data distribution system, and in particular, a satellite-based data distribution system, that is used to distribute data supplied by content providers to personal computers of clients. In order to determine if file transfers have been properly performed between content providers and client personal computers using the data distribution system, an important aspect of the system was developed that addresses this need.

It would be advantageous to have a file transmission acknowledgement system and method for use in a data distribution system that indicates the success or failure of a file transfer from a content provider to client computers.

SUMMARY OF THE INVENTION

The present invention provides for a file transmission acknowledgement system and method for use in a data distribution system. The file transmission acknowledgement system and method indicates the success or failure of a file transfer from a content provider to client computers.

The file transmission acknowledgement system comprises a transmitting processor for transmitting a file. One or more server or personal computers simultaneously receiving the transmitted file. A reception algorithm is provided on the server or personal computers that determines if the file was successfully or
5 unsuccessfully received by the respective computers.

A receipt generation algorithm is provided on the server or personal computers that generates a receipt acknowledgement or a receipt non-acknowledgement. A return path communication circuit is provided between the server or personal computers and the transmitting processor for delivering the acknowledgements to the transmitting
10 processor. A collating algorithm is provided on the transmitting processor that collates the receipt transmissions. The collating algorithm may also reformat the receipt transmissions for viewing by a user.

The file transmission acknowledgement method comprises the following steps. A file is transmitted from a transmitting processor. The transmitted file is simultane-
15 ously received at one or more server or personal computers. The received file is processed at the computers to determine if the file was successfully or unsuccessfully received. A receipt acknowledgement or a receipt non-acknowledgement is generated at the computers. The acknowledgements are delivered to the transmitting processor. The receipt transmissions are collated and optionally reformatted for viewing.

20

BRIEF DESCRIPTION OF THE DRAWINGS

The various features and advantages of the present invention may be more readily understood with reference to the following detailed description taken in conjunction with the accompanying drawings, wherein like reference numerals
25 designate like structural elements, and in which:

Fig. 1 illustrates an exemplary data distribution system for distributing data to personal computers in which the present invention may be employed;

Fig. 2 illustrates an exemplary file transmission acknowledgement system in accordance with the principles of the present invention; and

30 Fig. 3 illustrates an exemplary file transmission acknowledgement method in accordance with the principles of the present invention.

DETAILED DESCRIPTION

Referring to the drawing figures, Fig. 1 illustrates an exemplary data
35 distribution system 10, illustrated as a satellite broadcast data distribution system 10, in which a file transmission acknowledgement system (Fig. 2) and method (Fig. 3) in accordance with the principles of the present invention may be employed. The

exemplary data distribution system 10 is designed to distribute data (content) derived from one or more content providers 11 by way of a satellite 14 to client personal computers 16. The system 10 uses Internet protocol (IP) addressing to distribute the data to the personal computers 16.

5 The system 10 comprises a network operations center 13 that includes a data broadcast subsystem (DBS) 21, a subscriber management subsystem (SMS) 22, a network management subsystem (NMS) 23, and a content management subsystem (CMS) 24. One or more content providers 11 communicate by way of a direct line 12a or the Internet 12, for example, to the network operations center 13. The network
10 operations center 13 communicates by way of the satellite 14 to the client personal computers 16.

 The client personal computers 16 interface to the satellite 14 using satellite receiver PC cards (not shown) disposed in the client personal computers 16. Alternatively, the client personal computers 16 are connected to a local area network 17 and
15 interface to the satellite 14 using a PC card disposed in a server computer 15 coupled to the local area network. The client personal computers 16 are also coupled by way of a modem 18 to the network operations center 13. The modem 18 provides a low-rate return path that is used to transmit requests from the client personal computers 16 to the network operations center 13 in order to download data derived from the content
20 providers 11.

 Each of the client personal computers 16 includes software that interfaces to the network operations center 13 and the content providers 11. The software is used to browse the Internet 12, send requests for data, control data download sessions, schedule delivery of data, and download streaming audio, video and data to the client
25 personal computers 16 in real time, for example.

 The system 10 and the software cooperate to establish a virtual private multicast network between the content providers 11 and the client personal computers 16. The system 10 and the software cooperate to provide managed electronic data delivery to multiple client personal computers 16. The system 10 and the software cooperate to
30 provide both video and data download services with high efficiency.

 Fig. 2 illustrates an exemplary file transmission acknowledgement system 30 in accordance with the principles of the present invention. The file transmission acknowledgement system 30 indicates the success or failure of a file transfer from the content provider 11 to the client server or personal computers 15, 16 as shown in Fig. 1.

35 The file transmission acknowledgement system 30 comprises a transmitting processor 31 for transmitting a file processed by a transmitting processor 32. One or more personal computers 16 and/or server computers 15 simultaneously receive the

transmitted file by way of respective receivers 35. A reception algorithm 36 is provided on the server or personal computers 15, 16 that determines if the file was successfully or unsuccessfully received by the respective computer 15, 16.

5 A receipt generation algorithm 37 is provided on the one or more server or personal computers 15, 16 that generates a receipt acknowledgement or a receipt non-acknowledgement. A return path communication circuit 38 is provided between the server or personal computers 15, 16 and the transmitting processor 32 for delivering the acknowledgements to the transmitting processor 32. An algorithm 33 is provided on the transmitting processor 32 that may be used to collate the receipt transmissions. 10 The algorithm 33 also reformats the receipt transmissions for viewing by respective content providers 11. The reformatted receipt transmissions are placed on a server 34 for storage and for subsequent viewing by content providers 11 and personnel at the network operations center 13. Content providers 11 access the formatted receipt transmissions by way of a router coupled to the direct line 12a, or the Internet 12, for example. 15

Fig. 3 illustrates an exemplary file transmission acknowledgement method 40 in accordance with the principles of the present invention. The file transmission acknowledgement method 40 comprises the following steps. A file is transmitted 41 from a transmitting processor 32. The transmitted file is simultaneously received 42 at one or more server computers 15 or personal computers 16. The received file is processed at 20 the server or personal computers 16, 15 to determine 43 if the file was successfully or unsuccessfully received. A receipt acknowledgement or a receipt non-acknowledgement is generated 44 at the server or personal computers 16, 15. The acknowledgements are delivered 45 to the transmitting processor 32. The receipt transmissions are 25 collated 46 on the transmitting processor 32, reformatted 47 and stored 48 on a server 34 for viewing by content providers 11 and personnel at the network operations center 13.

Thus, file transmission acknowledgement systems and methods for use in a data distribution system that indicates the success or failure of a file transfer from a content 30 provider to client personal computers have been disclosed. It is to be understood that the described embodiments are merely illustrative of some of the many specific embodiments that represent applications of the principles of the present invention. Clearly, numerous and other arrangements can be readily devised by those skilled in the art without departing from the scope of the invention.

CLAIMS

What is claimed is:

1. A system for indicating the success or failure of a file delivery, comprising:
a transmitting processor for transmitting a file:
one or more computers that simultaneously receive the transmitted file;
a reception algorithm that determines if the file was successfully or
5 unsuccessfully received by the one or more computers;
a receipt generation algorithm that generates a receipt acknowledgement or a
receipt non-acknowledgement; and
a return path communication circuit for delivering the acknowledgements to the
transmitting processor.
10
2. The system recited in Claim 1 further comprising an algorithm that collates
the receipt transmissions.
3. The system recited in Claim 1 further comprising an algorithm that stores the
receipt transmissions for subsequent viewing.
4. The system recited in Claim 1 wherein the collating algorithm reformats the
receipt transmissions for viewing.
5. A file transmission acknowledgement method for indicating the success or
failure of a file transfer from a content provider to one or more personal computers,
comprising the steps of:
transmitting a file from a transmitting processor;
5 simultaneously receiving the transmitted file at one or more personal computers;
processing the received file at the one or more personal computers to determine
if the file was successfully or unsuccessfully received;
generating a receipt acknowledgement or a receipt non-acknowledgement at the
one or more personal computers; and
10 delivering the acknowledgements to the transmitting processor.
6. The method recited in Claim 1 further comprising the step of collating the
receipt transmissions.

7. The method recited in Claim 1 further comprising the step of storing the receipt transmissions.

8. The method recited in Claim 1 further comprising the step of reformatting the receipt transmissions for viewing.






Fig. 3



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/01724

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 15/16; H04L 1/16; G05B 23/02

US CL : 709/237; 714/748; 340/825.08

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 709/237; 714/748; 340/825.08

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

COMPUTER SELECT, WEST, PROQUEST DIRECT

search terms: acknowledgment, notification, confirmation, deliver, receive, transmit, file

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MOORE, K. An Extensible Message Format for Delivery Status Notifications. RFC 1894. January 1996. pages 1-39, especially pages 1-2, 5-6, and 16.	1-8
X	US 5,553,083 A (MILLER) 03 September 1996, col. 3-8	1-2, 5-7
A, P	US 5,956,390 A (MCKIBBEN et al.) 21 September 1999.	1-8
A	MCNAMARA, P. Return Receipts Rankle E-Mail Users. Network World. July 6, 1998. Vol 15. Issue 27. Page 10.	1-8
A	US 5,036,518 A (TSEUNG) 30 July 1991.	1-8

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the invention but used to understand the principles or theory underlying the invention
A documents defining the general state of the art which is not considered to be of particular relevance	*X* documents of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier documents published on or after the international filing date	*Y* documents of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combinations being obvious to a person skilled in the art
L documents which may throw doubts on priority claims or which is used to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O documents referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

03 MAY 2000

Date of mailing of the international search report

08 JUN 2000

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

BRADLEY EDELMAN

Telephone No. (703) 308-3900

Joni Hill

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/01724

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,619,689 A (KELLY) 08 April 1997, col. 1-4	1-8
A	US 5,481,675 A (KAPOGIANNIS et al.) 02 January 1996.	1-8
	--	--